

Banana Plugs & Binding Posts



Page 2 to 5.....Banana plugs

Page 6 to 14.....Binding post pairs

Banana Plug For Soldering

Gold Plated - Max 4 mm² cable thickness

Product index: 012-0120



Application:

Used to terminate connection cables from amplifier to speakers

Technical Data:

Max. cable thickness: 4 mm²

Plating: Gold

Weight: 5 grams

Sold per piece

Banana Plug

Gold Plated - Max 4 mm² cable thickness

Product index: 012-0130



Application:

Used to terminate connection cables from amplifier to speakers

Technical Data:

Max. cable thickness: 4 mm²

Plating: Gold

Weight: 32 grams (pair)

Comes with 2 Allen screws

Sold per pair (Black/Red markings)

Banana Plug

Gold Plated - Max 6 mm² cable thickness

Product index: 012-0140



Application:

Used to terminate connection cables from amplifier to speakers

Technical Data:

Max. cable thickness: 6 mm²

Plating: Gold

Weight: 6 grams

Sold per pair (Black/Red markings)

Banana Plug

Gold Plated - Max 4 mm² cable thickness

Product index: 012-0150



Application:

Used to terminate connection cables from amplifier to speakers

Technical Data:

Max. cable thickness: 4 mm²

Plating: Gold

Weight: 6 grams

Comes with 2 Allen screws

Sold per piece

Binding Post M4 / 8mm

Gold Plated

Product index: 012-0160



Application:

Used as speaker terminals

Technical Data:

- Overall length: 30 mm
- Solder tag connection
- Can receive banana plugs
- Can receive up to 5.75 mm diameter wire from the side opening
- Wall thickness: Max. 8 mm

Plating: Gold

Weight: 23 grams (pair)

Sold per pair (Black/Red markings)

Binding Post M5 / 38 mm

Gold Plated

Product index: 012-0170



Application:

Used as speaker terminals

Technical Data:

- Overall length: 72 mm
- Solder tag connection
- Can receive banana plugs
- Can receive up to 5.75 mm diameter wire from the side opening
- Wall thickness: Max. 38 mm

Plating: Gold

Weight: 44 grams (pair)

Sold per pair (Black/Red markings)

Binding Post M6 / 27 mm

Gold Plated

Product index: 012-0180



Application:

Used as speaker terminals

Technical Data:

- Overall length: 52 mm
- Solder tag connection
- Can receive banana plugs
- Can receive up to 5.75 mm diameter wire from the side opening
- Wall thickness: Max. 27 mm

Plating: Gold

Weight: 54 grams (pair)

Sold per pair (Black/Red markings)

Binding Post M / 27 mm

Satin Nickel Finish

Product index: 012-0190



Application:

Used as speaker terminals

Technical Data:

- Overall length: 52 mm
- Solder tag connection
- Can receive banana plugs
- Can receive up to 5.75 mm diameter wire from the side opening
- Wall thickness: Max. 27 mm

Finish: Satin Nickel

Weight: 54 grams (pair)

Sold per pair (Black/Red markings)

Binding Post M8 / 27 mm

Satin Nickel Finish - Carbon effect jacket

Product index: 012-0199



Application:

Used as speaker terminals

Technical Data:

- Overall length: 67 mm
- Chassis cutout keyhole shape to accommodate insulation washer and stops the post turning when in use
- The round portion is 12 mm diameter
- Solderable and grub screw connection which can receive wire up to 4mm
- Can receive banana plugs
- Can receive up to 4.3 mm diameter wire from the side opening
- Wall thickness: Max. 27 mm

Finish: Satin Nickel

Weight: 82 grams (pair)

Sold per pair (Black/Red markings)

Binding Post M8 / 24 mm

Gold Plated

Product index: 012-0200



Application:

Used as speaker terminals

Technical Data:

- Overall length: 64 mm
- Can receive banana plugs
- Can receive up to 5.75 mm diameter wire from the side opening
- Wall thickness: Max. 24 mm

Plating: Gold

Weight: 70 grams (pair)

Sold per pair (Black/Red markings)

Binding Post M9 / 20 mm

Gold Plated

Product index: 012-0209



Application:

Used as speaker terminals

Technical Data:

- Overall length: 71 mm
- Can receive banana plugs
- Can receive up to 5.75 mm diameter wire from the side opening
- Wall thickness: Max. 20 mm

Finish: Satin Nickel

Connection Plating: Gold

Weight: 97 grams (pair)

Sold per pair (Red/White markings)

Binding Post M9 / 26 mm

Gold Plated

Product index: 012-0210



Application:

Used as speaker terminals

Technical Data:

- Overall length 70 mm
- Chassis cutout keyhole shape to accommodate insulation washer and stops the post turning when in use.
- The round portion is 12 mm diameter
- Solderable connection.
- Can receive banana plugs
- Can receive 5 mm diameter wire from the side opening
- Wall thickness 26 mm

Plating: Gold

Weight: 96 grams (pair)

Sold per pair (Black/Red markings)

Binding Post M9 / 26 mm

Gold Plated

Product index: 012-0220



Application:

Used as speaker terminals

Technical Data:

- Overall length 70 mm
- Chassis cutout keyhole shape to accommodate insulation washer and stops the post turning when in use.
- The round portion is 12 mm diameter
- Solderable connection.
- Can receive banana plugs
- Can receive 5 mm diameter wire from the side opening
- Wall thickness 26 mm

Finish: Satin Nickel

Weight: 96 grams (pair)

Sold per pair (Black/Red markings)

For B2C sales (private consumers):

To find a distributor of our products in your region, please follow the link below:

➤ [WHERE TO BUY](#)

For questions about technical subjects, distribution or B2B sales, kindly contact us at:

➤ CONTACT@JANTZEN-AUDIO.COM

For B2B (business to business) orders kindly contact us at:

➤ ORDERS@JANTZEN-AUDIO.COM