

| Discovery 12W - Level 1 - Superior Z - Standard Z - Cross Coils - D3004/604010 + Drivers | | | | | | | | |
|--|----------------------------|--------------------|-----------|-------------|---------------------|------|-------------------|-------------|
| Coils: | | | | | | | | |
| Coil No. | Wire Ø mm | AWG | mH | Ohm | dim. mm Dia. / H | core | pcs | |
| Cross Coil | | | | | | | 2 | |
| Iron Core Coil | | | | | | | 2 | |
| Cross Coil | | | | | | | 2 | |
| Air cored wire coil | | | | | | | 2 | |
| Caps | | | | | | | | |
| | type | volt | uF | | mm, Ø x L | | | |
| Cross Cap | | | | | | | 2 | |
| Standard-Z Cap | | | | | | | 2 | |
| Standard-Z Cap | | | | | | | 2 | |
| Superior Z-Cap | | | | | | | 2 | |
| Premium ELKO 5% | | | | | | | 2 | |
| Premium ELKO 5% | | | | | | | 2 | |
| Resistors | | | | | | | | |
| | watt | | ohm | | | | | |
| Superes | | | | | | | 2 | |
| Superes | | | | | | | 2 | |
| Superes | | | | | | | 2 | |
| Superes | | | | | | | 4 | |
| Superes | | | | | | | 2 | |
| Superes | | | | | | | 2 | |
| Superes | | | | | | | 2 | |
| Miscellaneous | | | | | | | | |
| | Item# | | | | | | | |
| 012-0190 | Binding Posts | Satin Nickel | 6N | 27 mm | | | 2 sets of 2 pcs | 2 |
| 051-0006 | Port tubes | #900022 | | 35 x 120 mm | | | | 2 |
| 006-0045 | Wire, black | Silver plated PFTE | | 1 x 1,3 mm2 | | | 1 pcs of 2 meters | 1 |
| 006-0050 | Wire, red | Silver plated PFTE | | 1 x 1,3 mm2 | | | 1 pcs of 2 meters | 1 |
| 012-0370 | Solder tag strips | Gold Plated | 28 pins | 270 x 20 mm | | | | 2 |
| 010-0019 | SuperFix multipurpose glue | | | | | | Tube of 40 ml | 1 |
| 014-0022-50 | Round head wood screw | | | | | | Bag of 50 pcs | 1 |
| Damping Materials | | | | | | | | |
| | Item# | | | | | | | |
| 014-0414 | Felt material | 8 mm | Grey felt | | | | 1 pcs of 0,30 m2 | 1 |
| 014-0410 | White damping cloth | 30 mm | Polyester | | | | 1 pcs of 0,10 m2 | 1 |
| Drivers | | | | | | | | |
| | Item# | | | | | | | |
| 060-S-S-12W/8524G00 | Scan-Speak | 12W/8524G00 | | Mid-woofer | | | | 2 |
| 060-S-S-D3004/604010 | Scan-Speak | D3004/604010 | | Tweeter | | | | 2 |
| Total components for 2 Cross-Over networks: | | | | | | | | 52 |
| Gross Weight incl. packing materials: | | | | | | | | 8 kg |



The prices below are without shipping cost - The calculated shipping cost will be stated on the offer you will receive from us.

| Scandinavia | Scandinavia | EU | World |
|--------------|---------------|----------------|----------------|
| DKK incl VAT | DKK Excl. VAT | Euro Incl. VAT | Euro Excl. VAT |
| 7.335,00 | 5.868,00 | 991,00 | 793,00 |

| Discovery 12W - Level 1 - Superior Z - Standard Z - Cross Coils - D3004/604010 - No drivers | | | | | | | | |
|---|----------------------------|--------------------|--|-------------|---------------------|------|--|-------------|
| Coils: | | | | | | | | |
| Coil No. | Wire Ø mm | AWG | mH | Ohm | dim. mm Dia. / H | core | | pcs |
| Cross Coil | | | | | | | | 2 |
| Iron Core Coil | | | Closed Kit - Only Sold Directly Through Jantzen Audio | | | | | 2 |
| Cross Coil | | | | | | | | 2 |
| Air cored wire coil | | | | | | | | 2 |
| Caps | | | | | | | | |
| type | | volt | uF | | mm, Ø x L | | | |
| Cross Cap | | | | | | | | 2 |
| Standard-Z Cap | | | | | | | | 2 |
| Standard-Z Cap | | | Closed Kit - Only Sold Directly Through Jantzen Audio | | | | | 2 |
| Superior Z-Cap | | | | | | | | 2 |
| Premium ELKO 5% | | | | | | | | 2 |
| Premium ELKO 5% | | | | | | | | 2 |
| Resistors | | | | | | | | |
| watt | | | ohm | | | | | |
| Superes | | | | | | | | 2 |
| Superes | | | | | | | | 2 |
| Superes | | | | | | | | 2 |
| Superes | | | Closed Kit - Only Sold Directly Through Jantzen Audio | | | | | 4 |
| Superes | | | | | | | | 2 |
| Superes | | | | | | | | 2 |
| Superes | | | | | | | | 2 |
| Miscellaneous | | | | | | | | |
| | Item# | | | | | | | |
| 012-0190 | Binding Posts | Satin Nickel | 6N | 27 mm | | | 2 sets of 2 pcs | 2 |
| 051-0006 | Port tubes | #900022 | | 35 x 120 mm | | | | 2 |
| 006-0045 | Wire, black | Silver plated PFTE | | 1 x 1,3 mm2 | | | 1 pcs of 2 meters | 1 |
| 006-0050 | Wire, red | Silver plated PFTE | | 1 x 1,3 mm2 | | | 1 pcs of 2 meters | 1 |
| 012-0370 | Solder tag strips | Gold Plated | 28 pins | 270 x 20 mm | | | | 2 |
| 010-0019 | SuperFix multipurpose glue | | | | | | Tube of 40 ml | 1 |
| 014-0022-50 | Round head wood screw | | | | | | Baq of 50 pcs | 1 |
| Damping Materials | | | | | | | | |
| | Item# | | | | | | | |
| 014-0414 | Felt material | 8 mm | Grey felt | | | | 1 pcs of 0,30 m2 | 1 |
| 014-0410 | White damping cloth | 30 mm | Polyester | | | | 1 pcs of 0,10 m2 | 1 |
| | | | | | | | Total components for 2 Cross-Over networks: | 48 |
| | | | | | | | Gross Weight incl. packing materials: | 5 kg |



The prices below are without shipping cost - The calculated shipping cost will be stated on the offer you will receive from us.

| Scandinavia DKK incl VAT | Scandinavia DKK Excl. VAT | EU Euro Incl. VAT | World Euro Excl. VAT |
|-----------------------------|------------------------------|----------------------|-------------------------|
| 2.285,00 | 1.828,00 | 309,00 | 247,00 |

| Discovery 12W - Level 2 - Superior Z-Cap - Standard Z - Cross Coils - R3004/602010 + Drivers | | | | | | | | |
|--|----------------------------|--------------------|-----------|-------------|-----------|------|-------------------|-------------|
| Coils: | | | | | | | | |
| Coil No. | Wire Ø mm | AWG | mH | Ohm | dim. mm | core | | pcs |
| Cross Coil | | | | | Dia. / H | | | 2 |
| Iron Core Coil | | | | | | | | 2 |
| Cross Coil | | | | | | | | 2 |
| Air cored wire coil | | | | | | | | 2 |
| Caps | | | | | | | | |
| | type | volt | uF | | mm, Ø x L | | | |
| Cross Cap | | | | | | | | |
| Standard-Z Cap | | | | | | | | 2 |
| Standard-Z Cap | | | | | | | | 2 |
| Superior Z-Cap | | | | | | | | 2 |
| Premium ELKO 5% | | | | | | | | 2 |
| Resistors | | | | | | | | |
| | watt | | ohm | | | | | |
| Superes | | | | | | | | |
| Superes | | | | | | | | 2 |
| Superes | | | | | | | | 2 |
| Superes | | | | | | | | 2 |
| Superes | | | | | | | | 2 |
| Superes | | | | | | | | 2 |
| Superes | | | | | | | | 2 |
| Superes | | | | | | | | 4 |
| Miscellaneous | | | | | | | | |
| | Item# | | | | | | | |
| 012-0190 | Binding Posts | Satin Nickel | 6N | 27 mm | | | 2 sets of 2 pcs | 2 |
| 051-0006 | Port tubes | #900022 | | 35 x 120 mm | | | | 2 |
| 006-0045 | Wire, black | Silver plated PFTE | | 1 x 1,3 mm2 | | | 1 pcs of 2 meters | 1 |
| 006-0050 | Wire, red | Silver plated PFTE | | 1 x 1,3 mm2 | | | 1 pcs of 2 meters | 1 |
| 012-0370 | Solder tag strips | Gold Plated | 28 pins | 270 x 20 mm | | | | 2 |
| 010-0019 | SuperFix multipurpose glue | | | | | | Tube of 40 ml | 1 |
| 014-0022-50 | Round head wood screw | | | | | | Baq of 50 pcs | 1 |
| Damping Materials | | | | | | | | |
| | Item# | | | | | | | |
| 014-0414 | Felt material | 8 mm | Grey felt | | | | 1 pcs of 0,30 m2 | 1 |
| 014-0410 | White damping cloth | 30 mm | Polyester | | | | 1 pcs of 0,10 m2 | 1 |
| Drivers | | | | | | | | |
| | Item# | | | | | | | |
| 060-S-S-12W/8524G00 | Scan-Speak | 12W/8524G00 | | Mid-woofer | | | | 2 |
| 060-S-S-R3004/602010 | Scan-Speak | R3004/602010 | | Tweeter | | | | 2 |
| Total components for 2 Cross-Over networks: | | | | | | | | 50 |
| Gross Weight incl. packing materials: | | | | | | | | 8 kg |



The prices below are without shipping cost - The calculated shipping cost will be stated on the offer you will receive from us.

| Scandinavia | Scandinavia | EU | World |
|--------------|---------------|----------------|----------------|
| DKK incl VAT | DKK Excl. VAT | Euro Incl. VAT | Euro Excl. VAT |
| 5.030,00 | 4.024,00 | 680,00 | 544,00 |

| Discovery 12W - Level 2 - Superior Z-Cap - Standard Z - Cross Coils - R3004/602010 - No drivers | | | | | | | | |
|---|----------------------------|--------------------|-----------|-------------|----------|------|-------------------|---|
| Coils: | | | | | | | | |
| Coil No. | Wire Ø mm | AWG | mH | Ohm | dim. mm | core | pcs | |
| | | | | | Dia. / H | | | |
| Cross Coil | | | | | | | 2 | |
| Iron Core Coil | | | | | | | 2 | |
| Cross Coil | | | | | | | 2 | |
| Air cored wire coil | | | | | | | 2 | |
| Caps | | | | | | | | |
| type | volt | uF | mm, Ø x L | | | | | |
| Cross Cap | | | | | | | 2 | |
| Standard-Z Cap | | | | | | | 2 | |
| Standard-Z Cap | | | | | | | 2 | |
| Superior Z-Cap | | | | | | | 2 | |
| Premium ELKO 5% | | | | | | | 2 | |
| Resistors | | | | | | | | |
| watt | ohm | | | | | | | |
| Superes | | | | | | | 2 | |
| Superes | | | | | | | 2 | |
| Superes | | | | | | | 2 | |
| Superes | | | | | | | 2 | |
| Superes | | | | | | | 2 | |
| Superes | | | | | | | 2 | |
| Superes | | | | | | | 4 | |
| Miscellaneous | | | | | | | | |
| Item# | Item# | | | | | | | |
| 012-0190 | Binding Posts | Satin Nickel | 6N | 27 mm | | | 2 sets of 2 pcs | 2 |
| 051-0006 | Port tubes | #900022 | | 35 x 120 mm | | | | 2 |
| 006-0045 | Wire, black | Silver plated PFTE | | 1 x 1,3 mm2 | | | 1 pcs of 2 meters | 1 |
| 006-0050 | Wire, red | Silver plated PFTE | | 1 x 1,3 mm2 | | | 1 pcs of 2 meters | 1 |
| 012-0370 | Solder tag strips | Gold Plated | 28 pins | 270 x 20 mm | | | | 2 |
| 010-0019 | SuperFix multipurpose glue | | | | | | Tube of 40 ml | 1 |
| 014-0022-50 | Round head wood screw | | | | | | Baq of 50 pcs | 1 |
| Damping Materials | | | | | | | | |
| Item# | Item# | | | | | | | |
| 014-0414 | Felt material | 8 mm | Grey felt | | | | 1 pcs of 0,30 m2 | 1 |
| 014-0410 | White damping cloth | 30 mm | Polyester | | | | 1 pcs of 0,10 m2 | 1 |
| Total components for 2 Cross-Over networks: | | | | | | | 46 | |
| Gross Weight incl. packing materials: | | | | | | | 6 kg | |



The prices below are without shipping cost - The calculated shipping cost will be stated on the offer you will receive from us.

| Scandinavia | Scandinavia | EU | World |
|--------------|---------------|----------------|----------------|
| DKK incl VAT | DKK Excl. VAT | Euro Incl. VAT | Euro Excl. VAT |
| 2.330,00 | 1.864,00 | 315,00 | 252,00 |