## **Peerless Nomex 164 mkll**

**Designed by Troels Gravesen** 



Click the buttons below to go to:

**Price List** 

**Complete Design Article** 

**Contact / Purchase Form** 

#### **Troels Gravesen's Introduction:**

The Nomex 164 mkl dates back to 2010 and with the experience gained since then it's time for an update with some modifications allowing a simpler crossover and a lower point of crossover.

The speaker now features a better sounding time-aligned 2nd order filter.

The NOMEX cones still deliver some of the best midrange money can buy and the 9130 tweeter a treble that ranks among the very best.

## **IMPORTANT!**

Please read our sales terms to read about how the DIY kits are delivered and other important information.

Click **HERE** to read sales terms

#### Note!

We can only include the Scan-Speak tweeters in the kit

## **Drivers used in the construction:**

4 x Peerless HDS-P830875 (Mid-woofers)



2 x Scan-Speak D2608/913000 (Tweeters)



## **Crossover component options (levels)**

The "Level 1" has the highest grade of components

## **Level 1 crossover components:**

## Coils:

**Air & Iron Core Wire Coils** 



#### **Tweeter capacitors:**

**Alumen Z-Caps** 



#### Mid-range capacitors:

**Superior Z-Caps** 



#### Other positions:

**Standard Z-Caps** 



#### **Resistors:**

**Superes (wire wound)** 



## **Level 2 crossover components:**

#### Coils:

**Air & Iron Core Wire Coils** 





#### **Tweeter capacitors:**

**Superior Z-Caps** 



## Mid-range capacitors:

**Superior Z-Caps** 



#### Other positions:

**Standard Z-Caps** 



#### **Resistors:**

**Superes (wire wound)** 



## Damping materials included in the DIY kit:

Damping felt



Polyester damping cloth



## Accessories included in the DIY kit:

Binding post terminals (2 pairs)

Port tubes

Solder tag strips

Cables for internal wiring (PFTE/Silver)

Casco SuperFix component fastening glue

Screws for driver mounting







## For general accessories click the box below



## For SoundCare Super Spikes click the box below

