

JANTZEN AUDIO

Purifi-Fa

Designed by Troels Gravesen



Click the buttons below to go to:

[Price List](#)

[Complete Design Article](#)

[Contact / Purchase Form](#)

JANTZEN AUDIO

Troels Gravesen's Introduction:

2-way stand-mount with state of the art drivers from Purifi and SBAcoustics.

Experience the Purifi mid-woofer having hard-cone resolution without the break-up trouble.

Phenomenal treble resolution, here using the Satori fabric dome tweeters.

State of the art crossover components ensure maximum resolution.

IMPORTANT!

Please read our sales terms to read about how the DIY kits are delivered and other important information.

Click [HERE](#) to read sales terms

JANTZEN AUDIO

Drivers used in the construction:

Please note that we can only supply the tweeters, the Purifi units must be bought elsewhere.

2 x Purifi PTT6.5X04-NFA-01 (Mid-woofers)



2 x SBA TW29RN-B (4-ohm) (Tweeters)



JANTZEN AUDIO

Crossover components:

Coils:

Litz Wire Wax Coils

Air Core Wire Coils



Tweeter capacitors:

Alumen Z-Caps



Mid-range capacitors:

Superior Z-Caps



Resistors:

Superes (wirewound)



JANTZEN AUDIO

Damping materials included in the DIY kit:

Damping felt



Polyester damping cloth



Accessories included in the DIY kit:

Binding post terminals (2 pairs)



Port tubes



Cables for internal wiring (PFTE/Silver)



Solder tag strips



Casco SuperFix component fastening glue



Screws for driver mounting



JANTZEN AUDIO

For general accessories click the box below



For SoundCare Super Spikes click the box below

