

JANTZEN AUDIO

SB Acoustics 941 (SBA 941)

Designed by Troels Gravesen

Can be built with beryllium dome tweeters (TW29BN-B-8) or fabric dome tweeters (TW29RN-B-8).



Click the buttons below to go to:

[Price List](#)

[Complete Design Article](#)

[Contact / Purchase Form](#)

JANTZEN AUDIO

Troels Gravesen's Introduction:

Build a powerful 3-Way Classic from SBAcoustic Satori drivers.

Deep bass from 9½" bass driver.

Transparent midrange from 4½" midrange driver and smooth treble from either fabric or Beryllium dome tweeters.

IMPORTANT!

Please read our sales terms to read about how the DIY kits are delivered and other important information.

Click [HERE](#) to read sales terms

JANTZEN AUDIO

Drivers used in the construction:

2 x SBA WO24P-8 (Woofers)



2 x SBA MR13P-8 (Midrange units)



2 x SBA TW29BN-B-8 or TW29RN-B-8 (Tweeters)



JANTZEN AUDIO

Crossover component options (levels)

The “Level 1” has the highest grade of components

Level 1 crossover components:

Coils:

Air Core Wire Coils



Tweeter capacitors:

Amber Z-Caps



Mid-range capacitors:

Alumen Z-Caps & Silver Z-Caps



Other positions:

Standard Z-Caps



Resistors:

Superes (wire wound)



JANTZEN AUDIO

Level 2 crossover components:

Coils:

Air Core Wire Coils



Tweeter capacitors:

Alumen Z-Caps



Mid-range capacitors:

Alumen Z-Caps & Silver Z-Caps



Other positions:

Standard Z-Caps



Resistors:

Superes (wire wound)



JANTZEN AUDIO

Damping materials included in the DIY kit:

Damping felt



Polyester damping cloth



Combed natural wool filler



Accessories included in the DIY kit:

Binding post terminals (2 pairs)



Port tubes



Cables for internal wiring (PFTE/Silver)



Solder tag strips



Casco SuperFix component fastening glue




Screws for driver mounting



JANTZEN AUDIO

For general accessories click the box below



For SBA Satori magnetic dust covers click the box below



For SoundCare Super Spikes click the box below

