

JANTZEN AUDIO

TQWT mkIII

Designed by Troels Gravesen



Click the buttons below to go to:

[Price List](#)

[Complete Design Article](#)

[Contact / Purchase Form](#)

JANTZEN AUDIO

Troels Gravesen's Introduction:

Like the TQWT and DTQWT mkII versions, these new mkIII speakers will play any kind of music.

The mkIII version is in no way a discriminative speaker leaving out certain recordings as is often the case when speakers excel in particular aspects of music reproduction.

IMPORTANT!

Please read our sales terms to read about how the DIY kits are delivered and other important information.

Click [HERE](#) to read sales terms

JANTZEN AUDIO

Drivers used in the construction:

2 x Jantzen Audio JA-8008 HMQ (Mid-woofers)



2 x SEAS T35C002 (Tweeter)



2 x Jantzen Audio T35C002 Waveguides



JANTZEN AUDIO

Crossover component options (levels)

The “Level 1” has the highest grade of components

Level 1 crossover components:

Coils:

Wax Coils (foil inductors)

Air & Iron Core Wire Coils



Tweeter capacitors:

Superior Z-Caps



Mid-range capacitors:

Superior Z-Caps



Other positions:

Cross Caps



Resistors:

Superes (wire wound)



JANTZEN AUDIO

Level 2 crossover components:

Coils:

Wax Coils (foil inductors)

Air & Iron Core Wire Coils



Tweeter capacitors:

Superior Z-Caps



Mid-range capacitors:

Standard Z-Caps



Other positions:

Cross Caps



Resistors:

Superes (wire wound)



JANTZEN AUDIO

Damping materials included in the DIY kit:

Damping felt



Polyester damping cloth



Accessories included in the DIY kit:

Binding post terminals (2 pairs)



Cables for internal wiring (PFTE/Silver)



Solder tag strips



Casco SuperFix component fastening glue




Screws for driver mounting



JANTZEN AUDIO

For general accessories click the box below



For SoundCare Super Spikes click the box below

