



Measurement microphones
Measurement microphone systems



Omnimic V2

Precision measurement microphone system

Product index: PE 390-792



Dayton Audio's OmniMic V2 is an omnidirectional acoustic measurement system for audio system integrators, acoustic engineers, and residential A/V installers.

The OmniMic V2's new hardware provides fast, comprehensive, and accurate audio measurements.

The OmnimicV2 system contains:

- Omnimic V2 calibrated USB microphone & microphone clip
- Desktop tripod stand, storage case & carrying pouch
- USB A to USB B cable, 3 meters

The DATS V2 software & manual

The software and manual can be downloaded by following the links below:

▣ [**Omnimic V2 software**](#)

▣ [**Omnimic V2 manual**](#)

EMM-6 Electric measurement microphone

Precision measurement microphone

Product index: PE 390-801



The Dayton Audio EMM-6 precision electret condenser microphone is designed for measurement and critical recording applications where extremely flat frequency response and a true omni-directional polar pattern is a must for accuracy.

Highlights:

- Perfect for use with room acoustic analyzers and audio measurement systems
- Low noise FET input reduces low-frequency distortion Gold-plated XLR output connector for accurate signal transfer
- High-quality components and rugged construction Includes its own unique calibration response graph Includes stand mount, foam windscreen, and transport case
- Works with phantom power from +15V to +48V

The EMM-6 quick reference guide:

The quick reference guide can be downloaded by following the link below:

▣ **[EMM-6 quick reference guide](#)**

UMM-6 USB measurement microphone

Precision measurement microphone

Product index: PE 390-808



Dayton Audio's UMM-6 USB measurement microphone matches the level of precision previously offered only by expensive measurement equipment.

Highlights:

- Precision condenser microphone for critical measurement and recording applications
- Connects to your PC or Mac via USB port
- True omnidirectional pattern and calibrated flat frequency response
- Rugged construction with high-quality components
- Compact design; includes sturdy carrying case with foam insert
- Compatible with most industry-standard measurement software

The UMM-6 quick reference guide:

The quick reference guide can be downloaded by following the link below:

▣ [**UMM-6 quick reference guid**](#)

iMM-6 measurement microphone

Calibrated measurement microphone for tablets, iPhone, iPad and Android

Product index: PE 390-810



Turn any phone or tablet with a 3.5 mm jack into a laboratory grade audio measurement device with Dayton Audio's iMM-6 iDevice calibrated measurement microphone.

Highlights:

- Precision condenser microphone for critical measurement
- For use with any smartphone or tablet with a 3.5 mm TRRS headset jack
- True omnidirectional pattern with calibrated flat frequency response
- Headphone/Line Out pass-through jack for test signals or listening
- Kickstand feature elevates and angles device and microphone capsule
- Rugged construction with high-quality components

The iMM-6 manual:

The manual can be downloaded by following the link below:

☛ [iMM-6 manual](#)

For B2C sales (private consumers):

To find a distributor of our products in your region, please follow the link below:

☛ [WHERE TO BUY](#)

For questions about technical subjects, distribution or B2B sales, kindly contact us at:

☛ CONTACT@JANTZEN-AUDIO.COM

For B2B (business to business) orders kindly contact us at:

☛ ORDERS@JANTZEN-AUDIO.COM