

JANTZEN AUDIO

Fusion 22

Designed by Troels Gravesen

Please note that the BMS drivers are NOT included in the DIY kit



Click the buttons below to go to:

[Price List](#)

[Complete Design Article](#)

[Contact / Purchase Form](#)

JANTZEN AUDIO

Troels Gravesen's Introduction:

Experience:

- Clean, sparkling treble, yet smooth on the ear
- Exceptional midrange clarity and deep dynamic bass
- A speaker with easy cabinet construction
- Bass is adjustable to room positioning

IMPORTANT!

Please read our sales terms to read about how the DIY kits are delivered and other important information.

Click [HERE](#) to read sales terms

Note!

We can only include the SBA drivers in the kit

Drivers used in the construction:

2 x BMS 12N630-8 (8 Ω) (Woofers)



2 x SBA MW16TX-8 (8 Ω) (Mid-range units)



2 x SBA TW29TXN-B-8 (8 Ω) (Tweeters)



JANTZEN AUDIO

Crossover components:

Coils:

Litz Wire Wax Coils
Air & Iron Core Wire Coils



Tweeter capacitors:

Alumen Z-Caps



Mid-range capacitors:

Silver Z-Caps



Other positions:

MKT Z-caps




Resistors:

Superes (wire wound)



JANTZEN AUDIO

Damping materials included in the DIY kit:




Accessories included in the DIY kit:



JANTZEN AUDIO

For general accessories click the box below



For SBA Satori magnetic dust covers click the box below



For SoundCare Super Spikes click the box below

